

TECHNOLOGY MADE IN ITALY



CHAIN SAWS





ENGINE - Powerful high torque engines ideal for the use in any condition (including farmer and professional use). Active chain saws engines guarantee high performances.



ENGINE CRANKSHAFT - A silver plated needle bearing is used on the crankshaft to reduce working temperatures. The cylinders and pistons have been specially designed for chain saws. The piston rings are made of a special material to guarantee a longer life of the engine.



DIGITAL IGNITION - The digital ignition ensure an easy start and a constant power in any working condition. A special ceramic is used on the spark plug to guarantee a "cleaner" engine, due to a better combustion inside the cylinder.



CARBURATTOR - Walbro WT types carburettors are used on the engines. The manual primer draws the fuel mix into the carburettor for a quick and easy starting. The diaphragms are made of a special TEFLON material to resist to unleaded fuel.



DECOMPRESSOR - Some models are equipped with a decompressor to guarantee an easy start with very low effort. This device eliminates the kick back and ensure a longer life of starter components.



CRANKCASE - The crankcase is made of magnesium (models 51-56 and 62). Magnesium ensures a lower working temperature of the engine and a lighter weight of the machine.



CHAIN BAR - On all models two bolts are used to fix the bar to the crankcase.



OIL PUMP - On some models (51 - 56 and 62) the oil pump is made of steel. On all models the pump flow is adjustable. The pump ensures a correct lubrication of the chain and of the bar.



ANTI VIBRATION SYSTEM - Three or five special rubber shock absorbers are used to reduce to the minimum the vibrations. The maximum operators confort is guaranteed.



AIR FILTER - The intake air is pre-filtered by a special device.



CHAIN SAWS

39.39 SPEED EVOLUTION

Displacement 38.0 cc
 Power Hp/Kw 2.5/1.8
 Digital ignition
 Oil tank capacity 0.22 lt
 Fuel tank capacity 0.35 lt
 Double bolts bar fixing
 Weight 3.3 Kg

SPEED EVOLUTION

Bar Carving



	CODE
Chain / Bar 1/4" x 1.3 / 25 cm (10")	390039
Chain / Bar 1/4" x 1.3 / 25 cm carving (10")	390042
Chain / Bar 3/8" x 1.3 / 30 cm (12")	390040
Chain / Bar 3/8" x 1.3 / 30 cm PRO91 (12")	390043
Chain / Bar 3/8" x 1.3 / 35 cm (14")	390041
Chain / Bar 3/8" x 1.3 / 35 cm PRO91 (14")	390044

40.40

Displacement 38.0 cc
 Power Hp/Kw 2.5/1.8
 Digital ignition
 Oil tank capacity 0.22 lt
 Fuel tank capacity 0.35 lt
 Double bolts bar fixing
 Weight 3.8 Kg



	CODE
Chain / Bar 3/8" x 1.3 / 30 cm (12")	40V830
Chain / Bar 3/8" x 1.3 / 30 cm PRO91 (12")	40V831
Chain / Bar 3/8" x 1.3 / 35 cm (14")	40V835
Chain / Bar 3/8" x 1.3 / 35 cm PRO91 (14")	40V836

41.41

Displacement 38.0 cc
 Power Hp/Kw 2.1/1.53
 Digital ignition
 Oil tank capacity 0.20 lt
 Fuel tank capacity 0.30 lt
 Weight 4.2 Kg



	CODE
Chain / Bar .325" x 1.3 / 40 cm (16")	410042

CHAIN SAWS

51.51

Displacement 51.0 cc
 Power Hp/Kw 3.8/2.7
 Digital ignition
 Oil tank capacity 0.34 lt
 Fuel tank capacity 0.65 lt
 Weight 5.2 Kg



Chain / Bar .325" x 1.3 / 40 cm (16")
 Chain / Bar .325" x 1.5 / 40 cm (16")
 Chain / Bar .325" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 50 cm (20")

CODE

510051
 510053
 510052
 510054
 510055

56.56

Displacement 56.0 cc
 Power Hp/Kw 4.1/3.0
 Digital ignition
 Oil tank capacity 0.34 lt
 Fuel tank capacity 0.65 lt
 Weight 5.2 Kg



Chain / Bar .325" x 1.5 / 40 cm (16")
 Chain / Bar .325" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 50 cm (20")

CODE

560056
 560057
 560058
 560059

62.62

Displacement 62.0 cc
 Power Hp/Kw 4.6/3.4
 Digital ignition
 Oil tank capacity 0.34 lt
 Fuel tank capacity 0.65 lt
 Weight 5.2 Kg



Chain / Bar .325" x 1.5 / 40 cm (16")
 Chain / Bar .325" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 45 cm (18")
 Chain / Bar 3/8" x 1.5 / 50 cm (20")

CODE

620065
 620062
 620064
 620063